SCIENTIFIC AGRICULTURE

LA REVUE AGRONOMIQUE CANADIENNE

VOLUME 24

September 1943 - August 1944

EDITED BY
CANADIAN SOCIETY OF TECHNICAL AGRICULTURISTS AT
OTTAWA, CANADA

Published monthly by the authority of the
Chairman of the National Committee on Agriculture Services



Digitized by the Internet Archive
in 2024

https://archive.org/details/canadian-journal-of-animal-science_1943-1944_24_index

SUBJECT INDEX TO VOLUME 24

Page

Alfalfa (*Medicago sativa L*), Studies relating to fertility in
I. Pollen viability as affected by seasonal age of the plant 95
II. Temperature effect on pollen tube growth 145
Alfalfa, The role of insects, weather conditions, and plant character in seed setting of . 29
Amphidiploidy in *Triticum-Agropyron* hybrids 285
Apple seedlings to scab, Resistance of 542
Apple trees in British Columbia, Crown rot of
Rootstock and scion resistance trials 533
Association of characters in petunia 251
Attempt to transfer solid stem from *Triticum durum* to *T. vulgare* by hybridization, An 214

Bacillus larvae, the cause of American foulbrood of bees, Notes on the longevity, sporulation and diagnosis of 474
Bacon-type nursing pigs, Rates of growth of 17
Bees, Notes on the longevity, sporulation and diagnosis of *Bacillus larvae*, the cause of American foulbrood of 474
Book reviews 51, 152, 198, 350, 390, 489, 599
Brown rot and other fungal wastage in harvested peaches 221
Butter, The iron content of, and its relation to the butter wash water 64

Calocoris norvegicus Gmelin, a strawberry pest in Nova Scotia, The mirid 299
Cauliflower seed plants, Downy mildew disease of 282
Chickens, I. Determination of fleshing characteristics in market poultry 135
Chickens, Relative body depth—an exciting cause for development of keel bursae in. With a note on measuring equipment 591
Citellus richardsonii Sabine, The Richardson ground squirrel, in southern Alberta: Its importance and control 176
Codling moth and its parasites in California, A study of the 456
Combining beauty with utility in rose breeding 304
Control of water-core of turnips by spraying with borax 327
Corn germ on the feeding value of cereal grains for hogs, The effects of wheat germ and 78
Crown rot of apple trees in British Columbia—Rootstock and scion resistance trials . 533

Determination of fleshing characteristics in market poultry.
I. Chickens 135
II. Turkeys 480
Distribution of *Flavobacterium maloloris* 21
Downy mildew disease of cauliflower seed plants 282
Drosophila melanogaster Meig., for comparing the toxicity of stomach poison dusts, The use of 320

Effect of alkali water on bone strength in rats, The 24
Effect of various diets on growing pigs, The 443
Effects of wheat germ and corn germ on the feeding value of cereal grains for hogs, The 78
Egg powder, Microbiological aspects of 373
Errata 152, 250
Estimate of loss in Manitoba from common root rot in wheat, An 70

Page

Fence posts, Preservatives for farm 366
Field tests of the differential reaction of wheat varieties to root rot 153
Flavobacterium maloloris, Distribution of 21
Flax in flax-sick soil, Studies on Crown and Royal
I. The determination of Crown and Royal seed samples by growth in flax-sick soil 259
II. Comparative mortality response of Crown and Royal flax in two different flax-sick soils 268
Flax, Wheat stem sawfly in 383
Flour, a substitute for bran in grasshopper bait 332

Grasshopper bait, Flour, a substitute for bran in 332

Iron content of butter and its relation to the butter wash water, The 64

Kernel smudge in wheat, Varietal susceptibility to 126

Larch sawfly, *Pristiphora erichsonii* (Hartig) in British Columbia, with special reference to the cocoon parasites *Mesoleius tenthredinis* Morley and *Tritneptis klugii* (Ratzeburg), The 53
Laspeyresia nigricana (Steph.), on the Gaspe Coast, Life history studies of the pea moth 341
Lepidoptera captured at a light trap at New Carlisle, Quebec, in 1941, Record of 387
Level and source of protein in poultry production.
I. As related to economical production of growth in pullets 164
II. As related to economical production of eggs 240
Life history studies of the pea moth, *Laspeyresia nigricana* (Steph.), on the Gaspe Coast 341

Manganese deficiency in soils and crops. II. The use of various compounds to control manganese deficiency in oats 86
Mesoleius tenthredinis Morley and *Tritneptis klugii* (Ratzeburg). The larch sawfly, *Pristiphora erichsonii* (Hartig) in British Columbia, with special reference to the cocoon parasites 53
Microbiological aspects of egg powder 373
Mirid, *Calocoris norvegicus* Gmelin, a strawberry pest in Nova Scotia, The 299

Notes on the longevity, sporulation and diagnosis of *Bacillus larvae*, the cause of American foulbrood of bees 474

Oats, II. The use of various compounds to control manganese deficiency in 86

Parthenocarpic fruit production in horticultural plants 451
Pasture studies XXV. Pasture succession in the Eastern Townships of Quebec 271
Peach harvesting and storage investigations 1
Peaches, Brown rot and other fungal wastage in harvested 221
Petunia, Association of characters in 251
Physiography of Southwestern Ontario, The 101
Pigs, The effect of various diets on growing 443
Plant tissue testing 437
Potato eye sets, Treating packaging and storing 526
Potato treatments, Studies in seed
III. Agencies and practices that reduce the strength of mercuric chloride solutions, causing ineffective disinfection 351
IV. The repeated use of corrosive sublimate solutions by strength-control and by acidulation with acetic acid for effective disinfection practice 358

Page

Poultry, Determination of fleshing characteristics in market
I. Chickens ... 135
II. Turkeys ... 480
Poultry nutrition, Protein in ... 551
Poultry production, Level and source of protein in
I. As related to economical production of growth in pullets ... 164
II. As related to economical production of eggs ... 240
Poultry rations, The use of corn gluten feed to replace meat meal in ... 234
Poultry rations, The utilization of sunflower seed oil meal, wheat distillers' dried grains and rapeseed oil meal in ... 201
Preservatives for farm fence posts ... 366
Pristiphora erichsonii (Hartig) in British Columbia, with special reference to the cocoon parasites *Mesoleius tenthredinis* Morley and *Tritneptis klugii* (Ratzeburg), The larch sawfly ... 53
Protein in poultry nutrition ... 551

Rates of growth of bacon-type nursing pigs ... 17
Record of Lepidoptera captured at a light trap at New Carlisle, Quebec, in 1941 ... 387
Relative body depth—an exciting cause for development of keel bursae in chickens. With a note on measuring equipment ... 591
Reproduction of the nucleus, The ... 491
Resistance of apple seedlings to scab ... 542
Riboflavin content of milk products for feeding purposes ... 510
Richardson ground squirrel, *Citellus richardsonii* Sabine, in southern Alberta: Its importance and control, The ... 176
Role of insects, weather conditions, and plant character in seed setting of alfalfa, The ... 29
Root rot, Field tests of the differential reaction of wheat varieties to ... 153
Root rot in wheat, An estimate of loss in Manitoba from common ... 70
Rose breeding, combining beauty with utility in ... 304

Soil-plant relationships and vertical zonation in the southern interior of British Columbia ... 395
Studies in seed potato treatments.
III. Agencies and practices that reduce the strength of mercuric chloride solutions, causing ineffective disinfection ... 351
IV. The repeated use of corrosive sublimate solutions by strength-control and by acidulation with acetic acid for effective disinfection practice ... 358
Studies on Crown and Royal flax in flax-sick soil.
I. The determination of Crown and Royal seed samples by growth in flax-sick soil ... 259
II. Comparative mortality response of Crown and Royal flax in two different flax-sick soils ... 268
Studies relating to fertility in alfalfa (*Medicago sativa* L.)
I. Pollen viability as affected by seasonal age of the plant ... 95
II. Temperature effect on pollen tube growth ... 145
Study of the codling moth and its parasites in California, A ... 456
Sunflowers, The yield and other characters of inbred lines and single crosses of ... 516

Treating, packaging and storing potato eye sets ... 526
Triticum-Agropyron hybrids, Amphidiploidy in ... 285
Triticum durum to *T. vulgare* by hybridization, An attempt to transfer solid stem from ... 214

Page

Tritneptis klugii (Ratzeburg), The larch sawfly, *Pristiphora erichsonii* (Hartig) in British Columbia, with special reference to the cocoon parasites *Mesoleius tenthredinis* Morley and 53
Turkeys, II. Determination of fleshing characteristics in market poultry 480
Turnips by spraying with borax, Control of water-core of 327

Use of corn gluten feed to replace meat meal in poultry rations, The 234
Use of *Drosophila melanogaster* Meig., for comparing the toxicity of stomach poison dusts, The 320
Utilization of crop residues for wind erosion control 307
Utilization of sunflower seed oil meal, wheat distillers' dried grains and rapeseed oil meal in poultry rations, The 201

Varietal susceptibility to kernel smudge in wheat 126

Wheat, An estimate of loss in Manitoba from common root rot in 70
Wheat germ and corn germ on the feeding value of cereal grains for hogs, The effects of 78
Wheat stem sawfly in flax 383
Wheat, Varietal susceptibility to kernel smudge in 126
Wheat varieties to root rot, Field tests of the differential reaction of 153
Wind erosion control, Utilization of crop residues for 307

Yield and other characters of inbred lines and single crosses of sunflowers, The 516